



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)  
revision 14.12.2020 (GB) Version 4.8  
**GunCer**

## ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Name of product GunCer

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

#### ! Remark

UFI: FUMC-N1FW-K00P-3Y8J

#### Recommended intended purpose(s)

corrosion prevention

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

F.W.Klever  
Hauptstraße 20, D-84168 Aham  
Phone +49 (0) 8744 96 99 10, Fax + 49 (0) 8744 96 99 96  
E-Mail [info@ballistol.de](mailto:info@ballistol.de)  
Internet [www.ballistol.de](http://www.ballistol.de)

#### Advice

Qualitätssicherung  
Phone +49 (0) 8744 96 99 30  
E-mail (competent person):  
[info@ballistol.de](mailto:info@ballistol.de)

### 1.4. Emergency telephone number

#### Emergency advice

Dr.Zettler (Werktags von 8.00 Uhr bis 16.00 Uhr) oder  
Giftnotrufzentrale 022819240  
Phone +49 (0) 8744 96 99 30

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
Aerosol 1	H222, H229	
Eye Irrit. 2	H319	

#### Hazard statements for physical hazards

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

#### Hazard statements for health hazards

H319 Causes serious eye irritation.

### 2.2. Label elements



ES WIRKT.

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)  
revision 14.12.2020 (GB) Version 4.8  
GunCer

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS02



GHS07

Signal word

Danger

Hazard statements for physical hazards

H222 Extremely flammable aerosol.  
H229 Pressurised container: May burst if heated.

Hazard statements for health hazards

H319 Causes serious eye irritation.

Precautionary Statements

General

P102 Keep out of reach of children.

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source

P251 Do not pierce or burn, even after use.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal

P501 Dispose of contents/container to recycling

2.3. Other hazards

No information available.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
74-98-6	200-827-9	propane	ca. 7	Flam. Gas 1, H220 / Press. Gas
106-97-8	203-448-7	butane	ca. 15	Flam. Gas 1, H220 / Press. Gas



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)  
revision 14.12.2020 (GB) Version 4.8  
**GunCer**

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### In case of inhalation

Ensure fresh air.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off with soap and water.

#### In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

#### In case of ingestion

If swallowed by mistake drink plenty of water and seek medical treatment.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Treatment (Advice to doctor)

Treat symptoms.

---

## ! SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam

ABC powder

Carbon dioxide

Water spray jet

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released:

Nitrogen gases (NO<sub>x</sub>)

Carbon dioxide (CO<sub>2</sub>)

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply ( isolated ).

#### ! Additional information

Cool endangered containers with water spray jet.

Heat causes increase in pressure and risk of bursting

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)  
revision 14.12.2020 (GB) Version 4.8  
**GunCer**

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Keep away sources of ignition.  
Use breathing apparatus if exposed to vapours/dust/aerosol.  
High risk of slipping due to leakage/spillage of product.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

### 6.3. Methods and material for containment and cleaning up

Clean contaminated objects and floor thoroughly under consideration of environment regulations.  
Take up residues with absorbent material (e.g. sawdust).

### 6.4. Reference to other sections

No information available.

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Care for thoroughly room ventilation, if necessary use in well ventilated area with local exhaust ventilation at workplace.

Do not spray into flames or ignition sources

#### General protective measures

Do not inhale gases/vapours/aerosols.

#### Hygiene measures

Remove soiled or soaked clothing immediately.  
Wash hands before breaks and after work.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking  
Protect aerosols from temperatures exceeding 50°C/ 122°F

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in original container.

#### Further information on storage conditions

Recommended storage temperature: room temperature.

#### Information on storage stability

Storage time: 3 years.

**Storage group** 2B

### 7.3. Specific end use(s)

No information available.



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) revision 14.12.2020 (GB) Version 4.8 GunCer

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Respiratory protection

Respiratory protection must be worn whenever the WEL levels have been exceeded The following applies to propane in general: If the concentration is exceeded, closed-circuit breathing apparatuses must be used Use filter apparatus type AX, identification colour brown according to EN 371

Hand protection

Gloves (oil-resistant) Recommendation: protective glove (referred to EN374).

Eye protection

With demand: protective glasses

! SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

aerosol

Colour

dunkelbraun, klar

Odour

like mineral oil

Odour threshold

not determined

Important health, safety and environmental information

Table with 6 columns: Property, Value, Temperature, at, Method, Remark. Rows include pH value, boiling point, Melting point / Freezing point, Flash point, Vapourisation rate, Flammable (solid), Flammability (gas), Ignition temperature, Self ignition temperature, Lower explosion limit, Upper explosion limit, and Vapour pressure.



**ES WIRKT.**

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)  
revision 14.12.2020 (GB) Version 4.8  
**GunCer**

	Value	Temperature	at	Method	Remark
<b>Relative density</b>	ca. 0,9 g/ml	20 °C	1013 mbar		information concerns to liquid phase
<b>Vapour density</b>	not determined				
<b>Solubility in water</b>		20 °C	1013 mbar		immiscible
<b>Solubility/other</b>	not determined				
<b>Partition coefficient n-octanol/water (log P O/W)</b>	not determined				
<b>Decomposition temperature</b>	not determined				
<b>Viscosity kinematic</b>	ca. 28	20 °C			information concerns to liquid phase

**Oxidising properties**

No information available.

**Explosive properties**

No information available.

**9.2. Other information**

No information available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No information available.

**10.2. Chemical stability**

No information available.

**10.3. Possibility of hazardous reactions**

No information available.

**10.4. Conditions to avoid**

Container under pressure. Protect from direct exposure to sunlight and temperatures exceeding 50°C/122°F.

**10.5. Incompatible materials**

**Substances to avoid**

Reactions with strong oxidising agents.

**10.6. Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

**Additional information**

Product is stable under normal storage conditions



ES WIRKT.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) revision 14.12.2020 (GB) Version 4.8 GunCer

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

Table with 5 columns: Value/Validation, Species, Method, Remark. Rows include LD50 acute oral, LD50 acute dermal, Eye irritation, and Skin sensitization.

SECTION 12: Ecological information

12.1. Toxicity No information available.

12.2. Persistence and degradability

Table with 4 columns: Elimination rate, Method of analysis, Method, Validation. Row for Biological degradability.

12.3. Bioaccumulative potential No information available.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment No information available.

12.6. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Table with 2 columns: Waste code No., Name of waste. Row for 13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils.

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Barrel: return by DSD ( Dualistic System Germany )



ES WIRKT.

Safety Data Sheet according to Regulation (EC)  
No. 1907/2006 (REACH)  
revision 14.12.2020 (GB) Version 4.8  
GunCer

## ! SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1950	1950	1950
14.2. UN proper shipping name	Druckgaspackung	Aerosols	Aerosols, flammable
14.3. Transport hazard class(es)	2	2	2.1
14.4. Packing group	-	-	-
14.5. Environmental hazards	No	No	No

### 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

### Land and inland navigation transport ADR/RID

tunnel restriction code D

Classification code 5F

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

Water hazard class 1 self-classification

### 15.2. Chemical Safety Assessment

For this substance a chemical safety assessment is not required.

## SECTION 16: Other information

### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

### Further information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 4.7

H220 Extremely flammable gas.